



**GREENHOUSE
MANUFACTURER**
- EST 50 yrs -

COMPACT

4'3" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

Packed with many features found on larger models, the **Compact** offers a surprisingly spacious gardening experience with an eave height of 5' 1¼", ideal for the beginner or modern styled garden where space is at a premium.

STANDARD FEATURES



Ground level access



Integral gutter



Built in base section



Roof vent



Double doors



GREENHOUSE MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

STREAMLINE

5'3" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

Using the core elements found in the **Compact**, the **Streamline** boasts additional working areas for the grower with bigger ideas yet ideally suited for small gardens or country courtyards.

STANDARD FEATURES



Ground level access



Integral gutter



Built in base section



Roof vent



Double doors



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

CRAFTSMAN

6'3" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

Designed with the grower in mind, the **Craftsman** is a popular choice for the beginner or enthusiast thanks to its ideal working areas and excellent storage space.

STANDARD FEATURES



Ground level access



Integral gutter



Built in base section



Single door catch



Roof vent



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

HIGH EAVE

6'3" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

Taking the **Craftsman's** ethos to another level, the extra cantilever bracing allows the **High Eave** to boast an additional 11" growing area compared with the standard model. A truly cavernous working space yet still remaining within the same 6' 3" foot print.

STANDARD FEATURES



Ground level access



Integral gutter



Built in base section



Cantilever brace
(8' long and over)



Roof vent



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

BELMONT

8'5" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

A must for the seasoned grower, the stunning **Belmont** maximises the gardening experience from its 8' 5" frame. Optional extras such as internal partitions and double doors make this a superb all round performer and an ideal choice.

STANDARD FEATURES



Ground level access



Integral gutter



Built in base section



Cantilever brace



Roof vent



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

SUPREME

10'6" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

The choice of the professional, the **Supreme** is geared towards the more spacious garden setting. The standard make-up including two 5 blade louvre vents and one 8ft shelf provides a high performance greenhouse to accommodate any enthusiast's needs.

STANDARD FEATURES



5 blade louvre



Double door catch



Cantilever brace



Double doors



6" wide extruded shelf



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

CLASSIQUE

12'6" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

The ultimate gardening experience is found within the framework of the **Classique**. This leviathan of greenhouses bulges with growing potential from its incredible working area making for a sensational glasshouse ideal for the larger garden.

STANDARD FEATURES



5 blade louvre



Double door catch



Cantilever brace



Double doors



6" wide extruded shelf



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

GX600

6'3" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

If Mother Nature could choose a greenhouse then it would have to be an Elite. Over 50 years of experience gained in providing quality products has gone into producing the **GX SERIES**.

"a Garden in a box"

STANDARD FEATURES



Integral gutter



Ground level access



Double roof vent



Double doors



Double door catch



5 blade louvre



Hanging Basket Rails



Bar Capping



Cantilever brace



6" wide extruded shelf

Many accessories available please visit our website for more details.



GREENHOUSE MANUFACTURER
- EST 50 yrs -



www.elite-greenhouses.co.uk

GX800

8'5" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

If Mother Nature could choose a greenhouse then it would have to be an Elite. Over 50 years of experience gained in providing quality products has gone into producing the **GX SERIES**.

"a Garden in a boX"

STANDARD FEATURES



Integral gutter



Ground level access



Double roof vent



Double doors



Double door catch



5 blade louvre



Hanging Basket Rails



Bar Capping



Cantilever brace



6" wide extruded shelf



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

R-TYPE

GREENHOUSE

(must be attached to a wall)

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE




TERRACOTTA

The R-type from Elite offers flexibility for your gardening space. The R-type can fit into your garden set-up through the removal of the framework's rear end thus allowing it to become an integral part of a wall, shed or garage.

The important consideration with the freestanding R-type is the apex width, the section of the framework which will attach to your designated area, which is governed by the width of any of our freestanding models. Once you have chosen your desired R-Type, it can then be made to any required length from the wall and the standard features available to the traditional model will then apply.

Many accessories available please visit our website for more details.



A WIDTH	B LENGTH (Depth from the wall)
COMPACT 4'3" (1315mm)	UNLIMITED LENGTHS STARTING FROM 2' (610mm)
STREAMLINE 5'3" (1610mm)	
CRAFTSMAN 6'3" (1920mm)	
HIGH EAVE 6'3" (1920mm)	
BELMONT 8'5" (2570mm)	
SUPREME 10'6" (3195mm)	
CLASSIQUE 12'6" (3810mm)	



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



www.elite-greenhouses.co.uk

R-TYPE

LEAN-TO

(must be attached to a wall)

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK




WHITE



TERRACOTTA

The Lean-to R-type offers similar principles allowing flexibility to the gardener regardless of the growing space available.

Through the removal of its gable end, the Lean-to R-type allows not only the length section of the framework to be attached to a wall but also one of the gable ends making it ideal to fit into a restrictive space with two walls, such as an alcove or any L shaped area.



Simply decide how far you would like the building to extend from the wall which is governed by the models available. The R-type, like the traditional Lean-to, can then be made to any length and the desired gable end will be removed once your order has been confirmed.

Once you have chosen your desired R-type, the standard features available to the traditional model will then apply.

A WIDTH (Coming out from the wall)	B LENGTH	
EASYGROW 2'3" (700mm)	from 4'5"	You can omit the left or right hand gable (must specify)
WINDSOR 4'4" (1320mm)	from 6'6"	
KENSINGTON 4 4'4" (1320mm)	from 6'5"	
KENSINGTON 6 6'4" (1940mm)	from 6'5"	
KENSINGTON 8 8'4" (2535mm)	from 6'5"	



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available please visit our website for more details.

www.elite-greenhouses.co.uk

EASYGROW

2'3" Wide

Available in unlimited lengths from 4'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

A fitting name for a superb all round product, the **Easygrow** is simplicity itself, providing growing success from a reduced space without a reduction in quality and available features.

STANDARD FEATURES



Single door catch



Integral gutter



Roof vent



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

WINDSOR

4'4" Wide

Available in unlimited lengths from 6'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE



TERRACOTTA

A lower ridge height of 6' 7", ideal for attachment to garages and sheds, is one of the main attractions of the **Windsor** making it a popular choice amongst gardeners.

STANDARD FEATURES



Single door catch



Integral gutter



Roof vent



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

KENSINGTON 4

4'4" Wide

Available in unlimited lengths from 6'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE




TERRACOTTA

Manufactured to any length, there are no limits when it comes to the three width sizes found in the **Kensington** range. Packed full of features found in our free standing models plus 5 blade louvre and shelf to the width as standard, these lean-to greenhouses bring the joys of the garden into the home.

IMPORTANT NOTICE

If your lean-to covers the entrance to a dwelling, you must have toughened safety glass throughout.

	A Ridge height (excluding any base)	B Width (coming out of the wall)	C Eaves height (excluding any base)	Door Height x Width (excluding any base)	Door Position Options SD = Single DD = Double (SD is supplied as standard)
4'4" KENSINGTON	7'4" (2235mm)	4'4" (1320mm)	5'11½" (1820mm)	Single door 5'8½" x 1'11½" (1740 x 600mm)	SD on length and/or width DD on length (length over 8')
6'4" KENSINGTON	7'10½" (2400mm)	6'4½" (1940mm)	5'11½" (1820mm)		SD on length and/or width DD on length (length over 8')
8'4" KENSINGTON	8'6" (2590mm)	8'4" (2535mm)	5'11½" (1820mm)	Double door 5'8½" x 3'11½" (1740 x 1200mm)	SD on length and/or width DD on length and/or width (length over 8')



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

KENSINGTON 6

6'4" Wide

Available in unlimited lengths from 6'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE




TERRACOTTA

Manufactured to any length, there are no limits when it comes to the three width sizes found in the **Kensington** range. Packed full of features found in our free standing models plus 5 blade louvre and shelf to the width as standard, these lean-to greenhouses bring the joys of the garden into the home.

IMPORTANT NOTICE

If your lean-to covers the entrance to a dwelling, you must have toughened safety glass throughout.

	A Ridge height (excluding any base)	B Width (coming out of the wall)	C Eaves height (excluding any base)	Door Height x Width (excluding any base)	Door Position Options SD = Single DD = Double (SD is supplied as standard)
4'4" KENSINGTON	7'4" (2235mm)	4'4" (1320mm)	5'11½" (1820mm)	Single door 5'8½" x 1'11½" (1740 x 600mm)	SD on length and/or width DD on length (length over 8')
6'4" KENSINGTON	7'10½" (2400mm)	6'4½" (1940mm)	5'11½" (1820mm)		SD on length and/or width DD on length (length over 8')
8'4" KENSINGTON	8'6" (2590mm)	8'4" (2535mm)	5'11½" (1820mm)	Double door 5'8½" x 3'11½" (1740 x 1200mm)	SD on length and/or width DD on length and/or width (length over 8')



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available
please visit our website for
more details.

www.elite-greenhouses.co.uk

KENSINGTON 8

8'4" Wide

Available in unlimited lengths from 6'5"

GLAZING OPTIONS



STANDARD HORTICULTURAL GLASS

- 3mm thick
- Overlapping sheets



TOUGHENED SAFETY GLASS

- EN12150
- No overlaps



POLYCARBONATE

- 6mm thick
- Twinned wall
- Silvered edges



COLOUR OPTIONS



ALLOY




GREEN



BROWN



BLACK



WHITE




TERRACOTTA

Manufactured to any length, there are no limits when it comes to the three width sizes found in the **Kensington** range. Packed full of features found in our free standing models plus 5 blade louvre and shelf to the width as standard, these lean-to greenhouses bring the joys of the garden into the home.

IMPORTANT NOTICE

If your lean-to covers the entrance to a dwelling, you must have toughened safety glass throughout.

	A Ridge height (excluding any base)	B Width (coming out of the wall)	C Eaves height (excluding any base)	Door Height x Width (excluding any base)	Door Position Options SD = Single DD = Double (SD is supplied as standard)
4'4" KENSINGTON	7'4" (2235mm)	4'4" (1320mm)	5'11½" (1820mm)	Single door 5'8½" x 1'11½" (1740 x 600mm) Double door 5'8½" x 3'11½" (1740 x 1200mm)	SD on length and/or width DD on length (length over 8')
6'4" KENSINGTON	7'10½" (2400mm)	6'4½" (1940mm)	5'11½" (1820mm)		SD on length and/or width DD on length (length over 8')
8'4" KENSINGTON	8'6" (2590mm)	8'4" (2535mm)	5'11½" (1820mm)		SD on length and/or width DD on length and/or width (length over 8')



GREENHOUSE
MANUFACTURER
- EST 50 yrs -



Many accessories available please visit our website for more details.

www.elite-greenhouses.co.uk



ELITE GREENHOUSES LTD
Bent Spur Road
Kearsley
Bolton
Lancashire
BL4 8PD
Tel: 01204 791488
Fax: 01204 862412

www.elite-greenhouses.co.uk